

**NEWEST  
COLLECTIONS**  
CATALOG 2024

**NEW LOOKS &  
LATEST TRENDS**



# TABLE OF CONTENTS

## CERAMIC

- 4 | Alliage
- 6 | Catalina
- 10 | Chatham
- 12 | Kyoto
- 14 | Segments
- 16 | Seville
- 18 | Terrain
- 20 | Waterloo



**ALLIAGE**  
Vert 3"x12"



**MOSAICO**  
Ravenna 8"x8"

## PORCELAIN

- 22 | Brixton
- 24 | Faience
- 28 | Fenway Brick
- 30 | Miami
- 34 | Mosaico



**FAIENCE**  
Light Clay 2.5"x10"  
Light Clay Hexagon 7"x8"  
Black 2.5"x10"



**TERRAIN**  
Brun 4"x12"

- 36 | Belga

- 38 | Technical Specifications



# ALLIAGE



Bronze

VIEW THIS COLLECTION

SCAN ME

# ALLIAGE

3"x12"x5/16"  
6.03 SF / Box



**Vert**  
3"x12"  
HAL3X12AV



**Charbon**  
3"x12"  
HAL3X12AC



**Bleu**  
3"x12"  
HAL3X12ABLU



**Gris**  
3"x12"  
HAL3X12AG



**Blanc**  
3"x12"  
HAL3X12ABLC



**Bronze**  
3"x12"  
HAL3X12ABRN



# CATALINA



# CATALINA

3"x12"x1/4"  
5.39 SF / Box



**White** HAL3X12CW

**White Trim** HALQTR12CW  
12"x5/8" Qtr.  
Round



**Coral** HAL3X12CC

**Coral Trim** HALQTR12CC  
12"x5/8" Qtr.  
Round



**Turquoise** HAL3X12CT

**Turquoise Trim** HALQTR12CT  
12"x5/8" Qtr.  
Round





# CATALINA



# CATALINA

3"x12"x1/4"  
5.39 SF / Box



**Green** HAL3X12CGN

**Green Trim** HALQTR12CGN  
12"x5/8" Qtr.  
Round



**Grey** HAL3X12CGY

**Grey Trim** HALQTR12CGY  
12"x5/8" Qtr.  
Round



**Blue** HAL3X12CB

**Blue Trim** HALQTR12CB  
12"x5/8" Qtr.  
Round



# CHATHAM



Tybee White



# CHATHAM

4"x4"x3/8"

5.40 SF / Box

2"x10"x3/8"

6.48 SF / Box



**Tybee White**

4"x4"

HAL4X4CHTW



**Tybee White**

2"x10"

HAL2X10CHTW

**Tybee White Trim**

10"x1/2" Qtr. Round

HALQTR10CHTW



**Marsh Blue**

4"x4"

HAL4X4CHMB



**Marsh Blue**

2"x10"

HAL2X10CHMB

**Marsh Blue Trim**

10"x1/2" Qtr. Round


HALQTR10CHMB



# KYOTO



Soft White



Earth Brown

# KYOTO

6"x12"x5/16"  
9.69 SF / Box



**Soft White**  
HAL6X12KSW



**Ocean Blue**  
HAL6X12KOB



Ocean Blue




**Earth Brown**  
HAL6X12KEB



**Ashen Gray**  
HAL6X12KAG



# SEGMENTS



# SEGMENTS


8" x 8" x 5/16"  
10.76 SF / Box



**White**  
HAL8X8SW



**Aquamarine**  
HAL8X8SA



**Blue**  
HAL8X8SB



**Ivory**  
HAL8X8SI



**Black**  
HAL8X8SBK



**Grey**  
HAL8X8SG



# SEVILLE



Azul



Aqua




Cotto



Gris

# SEVILLE

3"x6"x5/16"  
5.50 SF / Box



**Azul**  
HAL3X6SAZ



**Blanco**  
HAL3X6SB




**Cotto**  
HAL3X6SC



**Rosa**  
HAL3X6SR



**Gris**  
HAL3X6SG



**Aqua**  
HAL3X6SAQ



# TERRAIN



Azure



White

# TERRAIN

4"x12"x5/16"  
10.98 SF / Box




**White**  
HAL4X12TW



**Pumice**  
HAL4X12TP



**Gray**  
HAL4X12TG



Dusk



Pumice



**Coral**  
HAL4X12TC



**Verdant**  
HAL4X12TV



**Azure**  
HAL4X12TA



**Brun**  
HAL4X12TB



**Evergreen**  
HAL4X12TE



**Dusk**  
HAL4X12TD



Gray



Verdant



**Umber**  
HAL4X12TU



# WATERLOO



Blue



Henna




Sage

# WATERLOO


3"x12"x5/16"  
6.03 SF / Box




White HAL3X12WW




Amber HAL3X12WA




Blue HAL3X12WBLU



Pearl HAL3X12WP




Sage HAL3X12WS



Henna HAL3X12WH



Beige HAL3X12WB



Gray HAL3X12WG



Trim available in all colors





# BRIXTON



Green Clay



Blue White

# BRIXTON

1 7/8" x 5 3/4" x 5/16"  
4.52 SF / Box



**Black**  
HAL2X6BBK



**Green**  
HAL2X6BG



**Blue**  
HAL2X6BBL



**Taupe**  
HAL2X6BT



**Clay**  
HAL2X6BC



**White**  
HAL2X6BW



Green Clay



Black



Blue White



# FAIENCE



Blue

VIEW THIS COLLECTION

SCAN ME

# FAIENCE

5"x5"x5/16" 2.5"x10"x5/16"  
5.474 SF / Box 5.382 SF / Box



**White**  
5"x5"  
HAL5X5FW



**White**  
2.5"x10"  
HAL2.5X10FW




**Grey**  
5"x5"  
HAL5X5FGY



**Grey**  
2.5"x10"  
HAL2.5X10FGY



**Black**  
5"x5"  
HAL5X5FB



**Black**  
2.5"x10"  
HAL2.5X10FB



**Blue**  
5"x5"  
HAL5X5FBLU



**Blue**  
2.5"x10"  
HAL2.5X10FBLU




# FAIENCE



Green  
Light Clay  
Light Clay Hexagon

# FAIENCE

5"x5"x5/16"      2.5"x10"x5/16"  
5.474 SF / Box      5.382 SF / Box




**Green**  
5"x5"  
HAL5X5FGN



**Green**  
2.5"x10"  
HAL2.5X10FGN




**Light Clay**  
5"x5"  
HAL5X5FLC



**Light Clay**  
2.5"x10"  
HAL2.5X10FLC



**Dark Clay**  
5"x5"  
HAL5X5FDC



**Dark Clay**  
2.5"x10"  
HAL2.5X10FDC



**Light Clay Hexagon**  
7"x8"  
HALHEXFLC



**Dark Clay Hexagon**  
7"x8"  
HALHEXFDC



# FENWAY BRICK



# FENWAY BRICK

2"x18"x3/8"  
8.32 SF / Box



**Red**  
2"x18"  
HAL2X18FBR



**White**  
2"x18"  
HAL2X18FBW



# MIAMI



Wynwood Buff



Wynwood Teal


# MIAMI

6" x 6" x 5/16"  
11 SF / Box


**Wynwood Buff**  
HAL6X6MWB



**Wynwood Teal**  
HAL6X6MWT



**Wynwood Ink**  
HAL6X6MWI



Doral Ink



Doral Buff

**Doral Buff**  
HAL6X6MDB



**Doral Teal**  
HAL6X6MDT



**Doral Ink**  
HAL6X6MDI



VIEW THIS COLLECTION

SCAN ME



# MIAMI



Little Havana  
Teal



Little Havana  
Buff



Little Havana  
Ink

# MIAMI

6" x 6" x 5/16"  
11 SF / Box

Little Havana Buff  
HAL6X6MLHB



Little Havana Teal  
HAL6X6MLHT



Little Havana Ink  
HAL6X6MLHI





# MOSAICO



Sicily

# MOSAICO

8"x8"x3/8"  
10.76 SF / Box



**Sicily**  
HAL8X8MS



Ravenna



**Ravenna**  
HAL8X8MS

\*Shown above, 9 tiles. 12 different graphics in each pattern.



# BELGA BLACK



12"x24"

Large Herringbone




18" x 36" x 3/8"  
HAL1836BK



16" x 16" x 3/8"  
HAL16BK



12" x 12" x 3/8"  
HAL121BK



6" x 12" x 3/8"  
HAL6X12BK



3" x 8" x 3/8"  
HAL3X8BK



8" x 8" x 3/8"  
HAL8X8BK



4" x 4" x 3/8"  
HAL4X4BK



10" Hexagon  
HAL10HXBK



2" x 2" x 3/8"  
HAL2X2BK



Picket  
11 x 2 3/4" x 3/8"  
HALPICKET



6" x 24" x 3/8"  
HAL6X24BK


# BELGA GRAY



12" x 24" x 3/8"  
HAL1224GY



16" x 16" x 3/8"  
HAL16GRY




12" x 12" x 3/8"  
HAL121GRY




6" x 12" x 3/8"  
HAL6X12GY



8" x 8" x 3/8"  
HAL8X8GY



4" x 4" x 3/8"  
HAL4X4GY



10" Hexagon  
HAL10HXGY



Picket  
11 x 2 3/4" x 3/8"  
HALPICKETGY



3" x 8" x 3/8"  
HAL3X8GY



6"x12"



# TECHNICAL SPECIFICATIONS

## ALLIAGE (WALL TILE)

TECHNICAL SPECIFICATIONS	
PRODUCT PERFORMANCE	RESULT
Water Absorption	<=0.5%
Breaking Strength	600-900 N
Bending Strength	15-25 N/mm <sup>2</sup>
Thermal Shock Resistance	Resists
Crazing Resistance	Resists
Frost Resistance	Resists
Chemical Resistance	Complies
Stain Resistance	Class 5

AVAILABLE SIZES THICKNESS 5/16" ±



3"x12"

## BELGA (FLOOR & WALL TILE)

TECHNICAL SPECIFICATIONS	
PRODUCT PERFORMANCE	RESULT
Water Absorption	0.66
Bending Strength	7359 PSI
Thermal Shock Resistance	Resistant
Abrasion Index	13.49
DCOF	0.88

AVAILABLE SIZES THICKNESS 3/8" ±

## BRIXTON (FLOOR & WALL TILE)

TECHNICAL SPECIFICATIONS	
PRODUCT PERFORMANCE	RESULT
Water Absorption	0.5%<E<3%
Breaking Strength	>1100 N
Modulus of Rupture	>30 N/mm <sup>2</sup>
Thermal Shock Resistance	Resistant
Crazing Resistance	Resistant
Frost Resistance	Resistant
Chemical Resistance	High concentrations of Acids/Alkalis - HA/HA/HA Low concentrations of Acids/Alkalis - LA/LA/LA Household chemicals - A/A
Stain Resistance	Class 5
Abrasion Resistance	Class 4
Slip Resistance	R10, Class 3
DCOF	>0.42

AVAILABLE SIZES THICKNESS 5/16" ±



1 7/8"x5 3/4"

## CATALINA (WALL TILE)

TECHNICAL SPECIFICATIONS	
PRODUCT PERFORMANCE	RESULT
Water Absorption	>10%
Thermal Shock Resistance	Complies
Stain Resistance	Class 5
Chemical Resistance	GLA
Frost Resistance	Indoor Only

AVAILABLE SIZES THICKNESS 1/4" ±



3"x12"



12"x5/8" Qtr. Round




# TECHNICAL SPECIFICATIONS

## CHATHAM (WALL TILE)

TECHNICAL SPECIFICATIONS	
PRODUCT PERFORMANCE	RESULT
Water Absorption	>10%
Thermal Shock Resistance	Complies
Stain Resistance	Class 5
Chemical Resistance	GLA
Frost Resistance	Indoor Only


### AVAILABLE SIZES THICKNESS 5/16" ±



## FAIENCE (FLOOR & WALL TILE)

TECHNICAL SPECIFICATIONS	
PRODUCT PERFORMANCE	RESULT
Water Absorption	<0.5%
Thermal Shock Resistance	Complies
Stain Resistance	Class 5
Resistance to Acids	GLA
Resistance to Alkali (Dk/Lt. Clay)	GHA
Resistance to Alkali (All Colors)	GHB
Resistance to Cleaning Products	GA
DCOF	>0.42 Clay Matte <0.42 Glossy
Frost Resistance	Complies


### AVAILABLE SIZES THICKNESS 5/16" ±



## FENWAY BRICK (FLOOR & WALL TILE)

TECHNICAL SPECIFICATIONS	
PRODUCT PERFORMANCE	RESULT
Water Absorption	<0.2%
Breaking Strength	≥700 N
Modulus of Rupture	>45 N/mm <sup>2</sup>
Thermal Shock Resistance	Resistant
Frost Resistance	Resistant
Chemical Resistance	LA - HA Household Chemicals - A
Stain Resistance	Class 5
MOHS Hardness	6
Abrasian Resistance	PEI 4 (Red) PEI 5 (White)
Slip Resistance	R10
DCOF	>0.42
Color Shade Variation	V3


### AVAILABLE SIZES THICKNESS 3/8" ±



## KYOTO (WALL TILE)

TECHNICAL SPECIFICATIONS	
PRODUCT PERFORMANCE	RESULT
Water Absorption	E>10%
Breaking Strength	>600 N
Bending Strength	>12 N/mm <sup>2</sup>
Thermal Shock Resistance	Resistant
Crazing Resistance	Resistant
Chemical Resistance	Resistance to Acids & Alcalis - GLA Resistance to Domestic Products and Salt for Pools - GA
Stain Resistance	5
Color Shade Variation	V3

### AVAILABLE SIZES THICKNESS 5/16" ±






# TECHNICAL SPECIFICATIONS

## MIAMI (FLOOR & WALL TILE)

TECHNICAL SPECIFICATIONS	
PRODUCT PERFORMANCE	RESULT
Water Absorption	< 0.5%
Thermal Shock Resistance	Complies
Slip Resistance	Class 2 / R10
DCOF	0.42
Resistance to Acids	GA
Resistance to Alkali	GA
Resistance to Cleaning Products	GA
Stain Resistance	Class 5

### AVAILABLE SIZES THICKNESS 5/16" ±



## MOSAICO (FLOOR & WALL TILE)

TECHNICAL SPECIFICATIONS	
PRODUCT PERFORMANCE	RESULT
Water Absorption	Eb ≤ 0.5%
Breaking Strength	> 1300 N
Bending Strength	> 35 N/mm <sup>2</sup>
Thermal Shock Resistance	Resistant
Frost Resistance	Resistant
Chemical Resistance	Acids/Alkali - GLA
Stain Resistance	Class 5
Abrasion Resistance	Class 5
Slip Resistance	R10, Class 3
DCOF	> 0.42


### AVAILABLE SIZES THICKNESS 3/8" ±



## SEGMENTS (WALL TILE)

TECHNICAL SPECIFICATIONS	
PRODUCT PERFORMANCE	RESULT
Water Absorption	> 10%
Bending Strength	=> 23 N/mm <sup>2</sup>
Thermal Shock Resistance	Resistant
Cracking Resistance	Resistant
Frost Resistance	Resistant
Chemical Resistance	Resistance to Acids - GLA Resistance to Alkalies - GHA Resistance to Cleaning Products - GA Resistance to Chemical Products in Swimming Pools - GA
Stain Resistance	5
Color Shade Variation	V3


### AVAILABLE SIZES THICKNESS 5/16" ±



## SEVILLE (WALL TILE)

TECHNICAL SPECIFICATIONS	
PRODUCT PERFORMANCE	RESULT
Water Absorption	> 10%
Bending Strength	=> 22 N/mm <sup>2</sup>
Cracking Resistance	Resistant
Frost Resistance	Resistant
Chemical Resistance	Resistance to Acids - GLA Resistance to Alkalies - GHA Resistance to Cleaning Products - GLA Resistance to chemical products in swimming pool water - GA
Stain Resistance	5
Color Shade Variation	V4


### AVAILABLE SIZES THICKNESS 5/16" ±



## TERRAIN (WALL TILE)

TECHNICAL SPECIFICATIONS	
PRODUCT PERFORMANCE	RESULT
Water Absorption	E > 10%
Breaking Strength	> 600 N
Bending Strength	> 12 N/mm <sup>2</sup>
Thermal Shock Resistance	Resistant
Cracking Resistance	Resistant
Chemical Resistance	Resistance to Acids & Alkalies - GLA Resistance to Domestic Products and Salt for Pools - GA
Stain Resistance	5
Color Shade Variation	V4



### AVAILABLE SIZES THICKNESS 5/16" ±



## WATERLOO (WALL TILE)

TECHNICAL SPECIFICATIONS	
PRODUCT PERFORMANCE	RESULT
Water Absorption	16%
Thermal Shock Resistance	Resists
Breaking Strength	600-900 N
Bending Strength	15-25 N/mm <sup>2</sup>
Chemical Resistance	Complies
Stain Resistance	Class 5

### AVAILABLE SIZES THICKNESS 5/16" ±







# HALO

SURFACE DESIGNS

3045 Kingston Court | Norcross, GA 30071 | (800) 477-7665 | [halo@mlwalker.com](mailto:halo@mlwalker.com)

[www.halosurfacedesigns.com](http://www.halosurfacedesigns.com)